

LAKE DAVIS HATCH CHART (Post Ice-out)

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Chironomids												
Have larvae at all times; start out early AM.												
Chironomid larvae and pupae: Ice Cream Cone, Zebra Midge, Chromie (including green and red); sizes 12 - 16												
Callibaetis												
Have nymphs at all times; hatch mid/late AM.												
Nymphs, Emergers, Adults: BH Flash-Back PT Nymph, Hares Ear, Black AP, Parachute Adams; sizes 12 - 16												
Caddis												
Very weak hatch												
Elk Hair, Pupae, Hemingway Caddis; size 14 - 18												
Damsel Nymphs												
Have nymphs at all times; use mid AM on.												
No Name Damsel, Marabou Damsel; size 12 - 14 and must be sparse												
Damsel Hatch												
Close to surface												
No Name Damsel, Marabou Damsel and Burke's Cripple for a dry; size 12 - 14, and again must be sparse												
Flying Ants												
Sporadic, be prepared with Winged and Non-winged black adults; size 12, brown hackles ok												
Snails												
On the rebound												
Sheep's Creek, Cutter's Floating Snail; size 12-14												
Leeches												
They work, but less effectively than the above.												
Wooly Buggers and Jay Fair's Wiggle Tailed Nymph: Burnt Orange, Browns, Greens, Black; size 8 - 14												

© Forward Bound